Version: V1.7

# SDS

## SAFETY DATA SHEET

According to Mode of code: Preparation of safety data sheets for hazardous chemicals (Australia WHS regulations and WHA Act)

Prepared For : Inno Energy Group Pty Ltd

2/262, PARRAMATTA RD. GRANVILLE, NSW 2142,

**AUSTRALIA** 

Prepared By : Shenzhen LCS Compliance Testing Laboratory Ltd.

101, 601, Xingyuan Industrial Park, Gushu

Community, Xixiang Street, Bao'an District,

Shenzhen, Guangdong, China

Issue Date : 2024.07.11

Report Number : KA2403140029A001

Written by:

Approved by:

<sup>\*</sup> The SDS is prepared based on the information provided by client. The contents and formats of this SDS are revised as per client's request.



# Safety Data Sheet According to Mode of code: Preparation of safety data sheets for hazardous chemicals

(Australia WHS regulations and WHA Act)

REPORT NO.: KA2403140029A001

	Section 1- Identifi	cation			
(a) Product identifier					
Product name	Inno Energy Storage Battery				
(b) Other means of iden	tification				
Product description	Model: INNO-A-5kW Nominal Voltage: 51.2V Nominal capacity: 100Ah Watt-hour: 5.12kWh Weight: 71.05Kg				
(c) Recommended use of	of the chemical and restrictions on use				
Recommended use	LITHIUM ION BATTERIES				
Uses advised against	No information available.				
(d) Details of the supplie	er of the safety data sheet				
Applicant Name	Inno Energy Group Pty Ltd				
Applicant Address	2/262 · PARRAMATTA RD. GRANVILLE	E, NSW 2142, AUSTRALIA			
Manufacture Company	Shenzhen Karming Technologies Co.Ltd	I			
Manufacture Address	Room 1413, West Block, Qiushi Building Community, Futian District, Shenzhen, C	g, No. 17 Zizhu Seventh Road, Xiangmihu Zhulin Guangdong, China			
Factory Name	GUANGDONG HYNN TECHNOLOGY (	Co., LTD			
Factory Address	Building A2, Silicon Valley Power Technology Park, Dongke Road, Dongcheng Street, Dongguan City, Guangdong Province, China				
Supplier Phone Number	+86-0755-83286209				
(e) Emergency telephon	e number				
0466002566					
	Section 2- Hazards ide	entification			
1910.1200). This produc	t is an article which is a sealed battery a	Hazard Communication Standard (29 CFR and as such does not require an MSDS per the zards indicated are for a ruptured battery.			
Reproductive toxicity		Category 2			
Acute toxicity-Oral		Category 3			
Skin corrosion/ irritation		Category 1			
Specific target organ toxic	ity-repeated exposure	Category 1			

According to Mode of code: Preparation of safety data sheets for hazardous chemicals (Australia WHS regulations and WHA Act)

REPORT NO.: KA2403140029A001

Version: V1.7

#### (b) GHS Label elements, including precautionary statements

**Emergency Overview** 

Signal word Danger

#### **Hazard Statements**

Suspected of damaging fertility or the unborn child

Toxic if swallowed

Causes severe skin burns and eye damage

Cause damage to organs through prolonged or repeated exposure.



Appearance: No in	nformation available	Physical State: Solid	Odor: No information available
P101	If medical advice is	needed,,have product containet o	or label at hand
P201	Obtain special instru	uctions before use.	
P202	Do not handle until	all safety precautions have been r	read and understood.
P260	Do not breathe dust	/fume/gas/mist/vapours/spray.	
P264	Wash thoroughly	after handling.	
P270	dust/fume/gas/mist/	vapours/spray	
P280	Wear protective glove	ves/protective clothing/eye protect	tion/face protection
P308+P313 P301+P310 P321 P330 P301+P330+P331 P303+P361+P353 P363 P304+P340 P310 P305+P351+P338 P314	IF SWALLOWED: In Specific treatment (see Rinse mouth.) IF SWALLOWED: Red IF ON SKIN (or hair [or shower]. Wash contaminated IF INHALED: Remoon Immediately call a Foundation of the Center of the contaminated IF IN EYES: Rinse of the contaminated IF IN EYES: Rin	tinse mouth. Do NOT induce voming: Take off immediately all contamn clothing before reuse.  Ve person to fresh air and keep contain and keep contains a	ER/doctor/∖u2026. iting. inated clothing. Rinse skin with water
P405	Store locked up.		
P501	Dispose of contents	/container to	
(c) Hazards not oth	erwise classified (HNO	C)	
Not applicable			
(d) Unknown Toxic	ity		

According to Mode of code: Preparation of safety data sheets for hazardous chemicals (Australia WHS regulations and WHA Act)

REPORT NO.: KA2403140029A001

Version: V1.7

32% of the mixture consists of ingredient(s) of unknown toxicity

#### (e) Other information

Very toxic to aquatic life with long lasting effects

#### (f) Interactions with Other Chemicals

No information available.

### Section 3- Composition/information on ingredients

Chemical Name	CAS Number	Weight (%)	Trade Secret
Iron Lithium Phosphate (LiFePO4)	15365-14-7	24	*
Graphite	7782-42-5	10 - 30	*
Organic Solvent	N/A	23	*
Copper	7440-50-8	7-13	*
Graphite	7429-90-5	5-10	*
Aluminium	7440-02-0	1-5	*
Nickel	15365-14-7	24	*

<sup>&</sup>quot; \* " The exact percentage (concentration) of composition has been withheld as a trade secret.

#### Section 4- First-aid measures

#### Description of first aid measures

- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Immediately rinse with water.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing: If symptoms persist consult doctor.
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- $\cdot$  Indication of any immediate medical attention and special treatment needed

No further relevant information available.

### **Section 5- Fire-fighting measures**

#### (a) Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

#### (b) Unsuitable extinguishing media

CAUTION: Use of water spray when fighting fire may be inefficient.

#### (c) Specific Hazards Arising from the Chemical

The product causes burns of eyes, skin and mucous membranes. Thermal decomposition can lead to release of irritating gases and vapors.

#### (d) Hazardous Combustion Products

Carbon oxides.

#### (e) Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

According to Mode of code: Preparation of safety data sheets for hazardous chemicals (Australia WHS regulations and WHA Act)

REPORT NO.: KA2403140029A001

Version: V1.7

#### Section 6- Accidental release measures

#### (a) Personal precautions, protective equipment and emergency procedures

If the battery is released, remove personnel from area until fumes dissipate. Provide maximum ventilation to clear out hazardous gases. The preferred response is to leave the area and allow the vapors to dissipate. Avoid skin and eyes contact or inhalation of vapors. Remove spilled liquid with absorbent and incinerated. If leakage of the battery happens, liquid could be absorbed with sand, earth or other inert substance and contaminated area should be ventilated meantime.

#### (b) Environment precautions

Do not allow product to reach sewage system or any water source.

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers surface or ground water.

#### (c) Methods and material for containment and cleaning up

If battery casing is dismantled, small amounts of electrolyte may leak. Collect all released material in a plastic lined container. Dispose off according to the local law and rules. Avoid leached substances to get into the earth, canalization or waters.

#### Section 7- Handling and storage

#### (a) Precautions for safe handling

#### Handling

Handle in accordance with good industrial hygiene and safety practice. Wear personal protective equipment. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash before reuse.

### (b) Conditions for safe storage, including any incompatibilities

#### **Storage**

Keep containers tightly closed in a dry, cool and well-ventilated place. Store locked up. Keep out of the reach of children.

#### **Incompatible Products**

Strong acids. Strong oxidizing agents. Strong bases

### Section 8- Exposure controls/personal protection

#### (a) Control parameters

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Graphite 7782-42-5	TWA: 3 mg/m <sup>3</sup> inhalable fraction	TWA: 3.5 mg/m <sup>3</sup> (vacated) TWA: 3.5 mg/m <sup>3</sup>	IDLH: 1750 mg/m <sup>3</sup> TWA: 3.5 mg/m <sup>3</sup> TWA: 0.1 mg/m <sup>3</sup> Graphite in presence of Polycyclic aromatic hydrocarbons PAH
Iron Lithium Phosphate (LiFePO4) 15365-14-7	TWA: 0.02 mg/m³	-	-
Phosphate(1-), hexafluoro-, lithium 21324-40-3	TWA:2.5mg/m³ F	TWA:2.5mg/m³ F TWA:2.5mg/m³ dust (vacated)TWA:2.5mg/m³	

# Safety Data Sheet According to Mode of code: Preparation of safety data sheets for hazardous chemicals

(Australia WHS regulations and WHA Act)

REPORT NO · KA2403140029A001

			REPORT	NO.: KA2403140029A001		
Copper 7440-50-8		mg/m³ fume Cu dust and mist	TWA:0.1mg/m³fume TWA:1mg/m³dust and mist (vacated) TWA:0.1mg/m³Cu	IDLH:100mg/m³dust ,fume and mist TWA:1mg/m³dust and mist		
			dust,fume,mist	TWA:0.1mg/m³ fume		
Aluminum foil 7429-90-5	TWA:1mg/m³ ı	espirable fraction	TWA:15mg/m³ total dust TWA:5mg/m³respirable fraction	TWA:10mg/m³ total dust TWA:5mg/m³ respirable dust		
			(vacated) TWA:15mg/m³total dust			
			(vacated) TWA:5mg/m³ respirable fraction(vacated)			
			TWA:5mg/m³ AL Aluminum			
			ists - Threshold Limit Value ble Exposure Limits Immediately Dange	erous to Life or Health		
Other Exposure Guidelines			Court of Appeals decision in AF ion 15 for national exposure co			
(b) Appropriate e	engineering con	rols				
Engineering Measo	Showers ures Eyewash Ventilation					
(c) Individual pro	tection measur	es, such as perso	nal protective equipment			
Eye/Face Protecti	An '					
Skin and body Protection		None required for consumer use. If there is a risk of contact:. Tight sealing safety goggles Face protection shield.  None required for consumer use. If there is a risk of contact:. Wear protective gloves and protective clothing.  No protective equipment is needed under normal use conditions. If exposure limits are				
Respiratory Protection			eded under normal use condition enced, ventilation and evacuati			
Handle in accordance with good industrial hygiene and safety practice. Do not eat, or smoke when using this product. Take off contaminated clothing and wash before reuse. Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash han before breaks and immediately after handling the product. For environmental protective and wash all contaminated protective equipment before re-use. No information available.				thing and wash before e gloves and eye/face I out of the workplace. ommended. Wash hands r environmental protection,		
	Section 9	)- Physical a	nd chemical proper	ties		
		Solid				
Form Color		White				
Odor		Not Available				
рН		Not Available				
Melting point/free	zing point	Not Available	Not Available			

REPORT NO.: KA2403140029A001

	1(2) (1) 1(3) 1(4) (2) (4) (4)
Boiling Point and Boiling range	Not Available
Flash Point	Not Available
Upper/lower flammability or explosive limits	Not Available
Vapor Pressure	Not Available
Vapor Density	Not Available
Relative density	Not Available
Solubility in Water	Not Available
Auto-ignition temperature	Not Available
Decomposition temperature	Not Available
Evaporation rate	Not Available
Flammability (soil, gas)	Not Available
Viscosity	Not Available
Sect	ion 10- Stability and reactivity
Reactivity	No information available.
Chemical stability	Stable under normal conditions.
Possibility of Hazardous Reactions	None under normal processing.
Hazardous Polymerization	Hazardous polymerization does not occur.
Conditions to avoid	Exposure to air or moisture over prolonged periods. Excessive heat.
Incompatible materials	Acids. Bases. Oxidizing agent.
Hazardous Decomposition Products	Carbon oxides.
Section	n 11 – Toxicological information
Product Information	Product does not present an acute toxicity hazard based on known or supplied information. In case of rupture:
Eye contact	Specific test data for the substance or mixture is not available. Causes burns. (based on components). Corrosive to the eyes and may cause severe damage including blindness. Causes serious eye damage. May cause irreversible damage to eyes.
Skin contact	Specific test data for the substance or mixture is not available. Corrosive.

REPORT NO.: KA2403140029A001

		1				O.: KA2403140029A001	
		(based on cor	nponents	). Causes bu	ırns.		
Ingestion		Specific test data for the substance or mixture is not available. Causes burns. (based on components). Ingestion causes burns of the upper digestive and respiratory tracts. May cause severe burning pain in the mouth and stomach with vomiting and diarrhea of dark blood. Blood pressure may decrease. Brownish or yellowish stains may be seen around the mouth. Swelling of the throat may cause shortness of breath and choking. May cause lung damage if swallowed. May be fatal if swallowed and enters airways.					
Component Information	า						
Chemical Name		Oral LD50		Derm	al LD50	Inhalation LC50	
Graphite 7782-42-5		> 10000 mg/kg ( F	Rat )	> 3 g/kg	( Rabbit )	-	
Information on toxicolo	gical effects	<b>;</b>					
Symptoms		Erythema (sk Itching. Rashe			ause redness a	nd tearing of the eyes.	
Delayed and immediate	effects as v	vell as chronic	effects f	rom short a	ind long-term e	xposure	
Sensitization:		May cause sensitization of susceptible persons. May cause sensitization by skin contact.					
Mutagenic Effects:		No information available.					
Carcinogenicity:		The table below indicates whether each agency has listed any ingredient as a carcinogen.					
Chemical Name	AC	GIH	IARC		NTP	OSHA	
Iron Lithium Phosphate (LiFePO4) 15365-14-7	/	<del>/</del> 3	Group 2B			Х	
Graphite 7782-42-5	ļ	43	Group 2B			Х	
ACGIH (American Conference A3 - Animal Carcinogen IARC (International Agency for Group 2B - Possibly Carcinoge OSHA (Occupational Safety at X - Present	or Research on nic to Humans	Cancer)		nent of Labor)			
Reproductive Toxicity		No information available.					
STOT - single exposure	•	No information available.					
STOT - repeated exposure		Causes damage to organs through prolonged or repeated exposure. Based on classification criteria from the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200), this product has been determined to cause systemic target organ toxicity from chronic or repeated exposure. (STOT RE).					
Chronic Toxicity			ontains a known or suspected carcinogen. Avoid repeated exposure. Dolonged exposure may cause chronic effects. May cause adverse liver				
Target Organ Effects						ct (GI). Central Vascular system. Systemic	

REPORT NO · KA2403140029A001

				REPORT	Г NO.: KA2403140029A001			
		Toxicity.						
Aspiration Hazard		No information available.						
Numerical me	asures of toxicity Pro	duct Information						
_	values are calculated	based on	ATEmix (	oral):	12,905.00 mg/kg			
Chapter 3.1 Of	the GH3 document		ATEmix	(dermal):	10,200.00 mg/kg (ATE)			
	Secti	on 12- Ecol	ogical	information				
Ecological To	xicity	Very toxic to aqua	atic life with	n long lasting effects	i.			
Chemical name	Toxicity to Algae	Toxicity to F	ish	Toxicity to Microorganisms	Daphnia Magna (Water Flea)			
Copper 7440-50-8	96h EC50: 0.031 - 0.054 mg/L (Pseudokirchneriella subcapitata) 72h EC50: 0.0426 - 0.0535 mg/L (Pseudokirchneriella subcapitata)	96h LC50: 0.0068 - 0.0156 mg/L (Pimephales promelas) 96h LC50: = 0.112 mg/L (Poecilia reticulata) 96h LC50: = 0.3 mg/L (Cyprinus carpio) 96h LC50: = 0.8 mg/L (Cyprinus carpio) 96h LC50: = 1.25 mg/L (Lepomis macrochirus) 96h LC50: = 0.052 mg/L (Oncorhynchus mykiss) 96h LC50: = 0.2 mg/L (Pimephales promelas) 96h LC50: < 0.3 mg/L			48h EC50: = 0.03 mg/L			
Graphite 7782-42-5			·		24h EC50: > 5600 mg/L			
Persistence a	nd Degradability	No information ava	ilable.					
Bioaccumula	tion	No information available.						
Other adverse	e effects	No information available.						
	Section	on 13- Dispo	sal co	nsiderations				
Waste treatme	ent methods							
Disposal met	nods	This material, as supplied, is not a hazardous waste according to Federal regulations (40 CFR 261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste. Consult the appropriate state, regional, or						

# Safety Data Sheet According to Mode of code: Preparation of safety data sheets for hazardous chemicals

(Australia WHS regulations and WHA Act)

REPORT NO.: KA2403140029A001

		REPORT NO.: KA2403140029A001			
	local regulations for additional requirements.				
Contaminated Packaging		Disposal should be in accordance with applicable regional, national and local laws and regulations.			
California Hazardous Waste Coo This product contains one or more		sted with the State of California as a hazardous waste.			
Chemical Name		California Hazardous Waste			
Iron Lithium Phosphate (LiFePO4) 15365-14-7		Toxic			
Copper 7440-50-8		Toxic			
Aluminum foi 7429-90-5	1	Ignitable powder			
Se	ction 14 – Trai	nsport information			
UN Number -DOT, IMDG, IATA	UN 3480 & UN 3481				
UN Proper shipping name -DOT, IMDG, IATA	Lithium ion Batteries (Including lithium ion polymer batteries) or; Lithium ion Batteries contained in equipments (Including lithium ion polymer batteries) or; Lithium ion Batteries packed with equipment (Including lithium ion polymer batteries)				
Transport information	Inno Energy Storage Battery (Sample Model: INNO-A-5kW) is tested and has passed in accordance with UN manual of Tests and Criteria, Part III, subsection 38.3.  The transportation of lithium cells and batteries is regulated by the International Air Transport Association(According to Section IA of PACKING INSTRUCTION 965, or Section II of PACKING INSTRUCTION 966~967 of IATA DGR 65 <sup>th</sup> Edition for transportation), International Civil Aviation Organization, International Maritime Dangerous Goods Code and the US Department of Transportation listed in 4 9 CFR 173.185.  Lithium batteries shipped as "Lithium batteries", "Lithium batteries packed with equipment", or "Lithium batteries contained in equipment" may not be classified as "Dangerous Goods" when shipped in accordance with "special provision A45 of IATA-DGR" or "special provision 188 of IMO-IMDG Code"				
Transport hazard class(es) -DOT, IMDG, IATA	9				
Environmental hazards	Yes(DOT)				
Marine pollutant	Symbol (fish and tree)				
Special precautions for user EMS Number	Warning: Miscellaneou F-A,S-N	us dangerous substances and articles			
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable				
DOT Remarks:	Special marking with t	the symbol (fish and tree)			
IMDG	0				

REPORT NO.: KA2403140029A001

Limited quantities Excepted quantiti				le: E0	ted as	Excer	oted Quar	ntitv	KEPOKI I	<u> </u>	2403140029A001
zaopiou qualiti		•		•				-	nation		
(a) International	Inver	ntories									
TSCA		Complie	es.								
DSL		All com	oonen	ts are l	isted e	ither c	on the DS	L or NDS	L.		
(b) US Federal Re	egula	ations									
SARA 313		(SARA)	. This	produc	t conta	ains a	chemical	or chemic		subjec	n Act of 1986 t to the reporting Part 372.
Chemical Name	;	CAS No						Weight-%	ó		313 – Threshold Values %
Iron Lithium Phosphate (LiFePo	O4)		1530	65-14-7	7			15-40			0.1
Copper				0-50-8				3-7			1.0
Aluminum foil		7429-9			j			7-13			1.0
SARA 311/312 Ha		Categor	ies								
Acute Health Haza				No							
Chronic Health Haz	zard			No							
Fire Hazard			No								
Sudden release of pressure hazard			No								
Reactive Hazard				No							
CWA (Clean Water Act)		This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)									
Chemical Name	С	WA - Re Quan						CWA - Priority Pollutants		С	WA - Hazardous Substances
Copper 7440-50-8						Х					
CER	RCLA			haza	ardous	subst	ance und	er the Co		Environ	ces regulated as a mental Response
Chemical N	lame		Haz	ardous			s Ex	Extremely Hazardous Substances RQs		RQ	
Copper 7440-50					000 lb					RQ 5000 lb final RQ RQ 2270 kg final RQ	
(c) US State Reg	ulatio	ons									
California Propos						This	product o	ontains th	ne following P	ropositi	on 65 chemicals.
		cal name	<b>e</b>						ornia Proposi	-	
Grap	ohite -	- 7782 <b>-</b> 4	2-5						Carcinogen	1	
U.S. State Right-to	o-Kno	ow Regu	ılatior	าร							
Chemical Name		New Je	rsey	Mass	achus	etts	Penns	/Ivania	Rhode Isl	land	Illinois
Graphite 7782-42-5		Х			Х		)	(			Х
Iron Lithium Phosphate (LiFePo 15365-14-7	O4)	Х					>	(	Х		Х
Aluminum 7429-90-5		Х			Х		)	(	Х		

According to Mode of code: Preparation of safety data sheets for hazardous chemicals (Australia WHS regulations and WHA Act)

REPORT NO.: KA2403140029A001

Version: V1.7

						INLI	OKI NO KA	24001400297	$\neg uu$
	Copper 40-50-8	X	X		X		X	х	
(d) Inter	national Regula	tions							
Mexico									
National	occupational ex	posure lir	nits						
Component			Carcin	ogen	Status		Exposure	e Limits	
Graphite 7782-42-5(15 - 40)							Mexico: TWA	=3.5 mg/m <sup>3</sup>	
Aluminum 7429-90-5 ( 7 - 13 )							Mexico: TWA	= 10 mg/m <sup>3</sup>	
Copper 7440-50-8 ( 3 - 7 )						Mexico: TWA= 1 mg/m <sup>3</sup> Mexico: TWA= 0.2 mg/m <sup>3</sup> Mexico: STEL= 2 mg/m <sup>3</sup>			
Mexico - O	ccupational Exposure	Limits - Carc	inogens						
Canada									
WHMIS	Hazard Class		Not determined						
		S	ection 16- 0	Othe	er informat	ion			
NFPA	Health Hazard	s 1	Flammability	0	Instability	0	Physical and Haza		-
HMIS	Health Hazard	s 2*	Flammability	0	Physical Hazard	0	Personal P	rotection	X

#### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

\*\*\*\*\*\*End of Safety Data Sheet\*\*\*\*\*